<u> </u>						50X1-F
		- CA	NEINFAT	AAA		
DA INTELLI	GENCE REPORT	CLA	exification	COUNTRY REPOR	TED ON	
· (Uso Ibis form	only in accordance on in SR 380-505-5;			GDR		
					<u> </u>	DATE OF REPOR
Maurican BIICW	AU (UTM 33U	111T 17895	REFERENC	19		2 June 58
Soviet Am	munition Depo	ot (C)				
BUMMARY						
Downg	rading data ca	annot be pr	redetermined	•••		
1						
	nd hunkers of	reinforce	d concrete. '	was constru	cted for u	imately 150x1. he German
undergrou	ormation: Sov nd bunkers of rtly before W in summer o s. The amou	reinforce WII. With	d concrete, the the exception other change	was constru on of three r es were mad	cted for th new caser le inside t	ne German ne buildings the depot by
undergrou Army sho completed the Soviet	nd bunkers of rtly before W	reinforce WII. With	d concrete, the the exception other change	was constru on of three r es were mad	cted for th new caser le inside t	ne buildings the depot by depot is un-
undergrou Army sho completed the Soviet known	nd bunkers of rtly before W in summer o s. The amou	reinforce W II. With I 1957, no nt and type	d concrete, the the exception other change	was construon of three res were mad tion stored	cted for the caser de inside the subject	ne buildings the depot by depot is un-
undergrou Army sho completed the Soviet known NOTE: Reproduct part is prolibited, with permission authory to expended Citief of Staff, 6-2	ind bunkers of rtly before W in summer of this document I if SECRIF or TOP S the issuing office. A loce will be directed u., Department of the Au,	reinforce W II. With 1957, no nt and type a whole or in ECRET. creet If requests for the Assistant tay	d concrete, the the exception other changes of ammuni	was construent on of three res were made tion stored NOIE: If national defends the Espitation is transmit to connect to	new caser le inside t in subject ms document coun case of the Unite mage Ac, 53 U.I. isles of the cycle manufactured	ne buildings the depot by depot is un-
undergrou Army sho completed the Soviet known	ind bunkers of rtly before W in summer of this document I if SECRIF or TOP S the issuing office. A loce will be directed u., Department of the Au,	reinforce W II. With I 1957, no nt and type CRET, continue in the Assistant	d concrete, the the exception of the changes of ammuni	was construent on of three res were made tion stored Note: It is the property of the Espitation of	new caser de inside t in subject in subject use of the Unite mage Act, 50 U.	ne buildings the depot by depot is un-
undergrou Army sho completed the Soviet known NOTE: Reproduct part is prolibited, with permission authory to expended Citief of Staff, 6-2	ind bunkers of rtly before W in summer of this document I if SECRIF or TOP S the issuing office. A loce will be directed u., Department of the Au,	reinforce W II. With I 1957, no nt and type CRET, continue in the Assistant	d concrete, the the exception other changes of ammunications of ammunicati	was construent on of three res were made tion stored Note: It is the property of the Espitation of	new caser de inside t in subject in subject use of the Unite mage Act, 50 U.	ne buildings the depot by depot is un-
undergrou Army sho completed the Soviet known NOTE: Reproduct part is prolibited, with permission authory to expended Citief of Staff, 6-2	ind bunkers of rtly before W in summer of this document I if SECRIF or TOP S the issuing office. A loce will be directed u., Department of the Au,	reinforce W II. With I 1957, no nt and type CRET, continue in the Assistant	d concrete, the the exception other changes of ammunications of ammunicati	was construent on of three res were made tion stored Note: It is the property of the Espitation of	new caser de inside t in subject in subject use of the Unite mage Act, 50 U.	ne buildings the depot by depot is un-
undergrou Army sho completed the Soviet known NOTE: Reproduct part is prolibited, with permission authory to expended Citief of Staff, 6-2	ind bunkers of rtly before W in summer of this document I if SECRIF or TOP S the issuing office. A loce will be directed u., Department of the Au,	reinforce W II. With I 1957, no nt and type CRET, continue in the Assistant	d concrete, the the exception other changes of ammunications of ammunicati	was construent on of three res were made tion stored Note: It is the property of the Espitation of	new caser de inside t in subject in subject use of the Unite mage Act, 50 U.	ne buildings the depot by depot is un-
undergrou Army sho completed the Soviet known NOTE: Reproduct part is prolibited, with permission authory to expended Citief of Staff, 6-2	ind bunkers of rtly before W in summer of this document I if SECRIF or TOP S the issuing office. A loce will be directed u., Department of the Au,	reinforce W II. With I 1957, no nt and type CRET, continue in the Assistant	d concrete, the the exception other changes of ammunications of ammunicati	was construent on of three res were made tion stored Note: It is the property of the Espitation of	new caser de inside t in subject in subject use of the Unite mage Act, 50 U.	ne buildings the depot by depot is un-

50X1-HUM

50X1-HUM

CONFIDENTIAL

	CONFIDENTIAL	50X1-HUM
DA INTELLIGENCE REPORT (Use this form only in accordance with instructions in SR 380-305-5)	CLASSIFICATION	AGE 2
BUCKAU		
	Soviet Ammunition Depot (C)	
GDR	"Muna"	50X1-HUM
LOCATION :	Ammunition depot covers 1,600 x 800 known as "Buckauer Kirchenheide" o BUCKAU. at UTM 33UUT 163899. Tis the standard gauge single track RITERWITZ - ZIESAR - GOERZKE. Main road, KOEPERNITZ - DRETZI	utside the village of The E side border R line GROSS WUS- W side border is the EN. (For pinpoint
	location, see Incl. 1.)	50X1-HUM
LABOR :	exception of a Sudeten German electric ER, Franz who has worked there significantly personnel does not exceed 5	e number of Sovi 50X1-
	nel have sky-blue shoulderboards, w	while others have 50X1-h sionally mili50X1-H
INSTALLATIONS :	(Numbers in parentheses correspond Inclosure 1)	l to those shown on
	Guardhouse (1) 8 x 5 x 3 m; single camouflaged; tarpapered gabled roof	story; stuccoed;
	Apartment houses (2-5): 12 x 8 m; to camouflaged; gabled roofs covered whouses Soviet officers and their fam	vith olive drab tiles;
	Troop barracks (6-8): 20 x 8 x 3/5 stuccoed; camouflaged; tarpapered g ted in 1957.	m; single story; gabled roofs; construc
	Troop barracks (9-11): 20 x 8 c 3.5 stuccoed; camouflaged; tarpapered g	om; single story; gabled roofs.
	Garages and repair workshops (12-)	(4): dimensions and

NOTE: Reproduction of this document sam to prohibited, if SPCRET or TOP with permission of the issuing office, authority to reproduce will be filtered likes of Smil. Ez. Department of the

NOTE: This document contains information affecting the national defense of the United States within the meaning of the Espionage Act, 50 U.S.C. 31 and 32, as semended the transmission or the regulation of its contents in any manner to an unauthorized person- prohibited by law.

other particulars unknown.

CONFIDENTIAL

50X1-HUM

DA INTELLIGENCE REPORT
(Use this form only in accordance
with ensuractions in SR 380-305-5)

LASSIFICATION

PAGE

INSTALLATIONS

Warehouse (15): 24 x 12 m; two stories; stuccoed; camouflaged; tarpapered gabled roof.

STORAGE FACILITIES of reinforced concrete construction. The top of every bunker is approximately 1 m above ground level and is covered with a layer of soil of unknown thickness. Young trees mostly birches, are planted on top of the bunkers. the area is well camouflaged with 50X1-HUM

trees, bushes and grass. Every bunker is provided with electric light, ventilation and steel doors.

SUPPLY MOVEMENT FACILITIES all ammunition (50X1-HUM

plies are moved into the installation by RR, via GROSS WUSTERWITZ, which is the rail junction of the single tracklineGROSS WUSTERWITZ-GOERZKE, and the trunk line, BERLIN-MAGDEBURG. Two passenger trains arrive daily in BUCKAU from GROSS WUSTER-WITZ, one at 0300 hours and the other at 1200 hours. Each of the two trains has two to five freight cars of ammunition or other unknown supplies for the ammunition depot. The freight cars moving ammunition have little posters pasted on each side showing an exploding bomb printed in red. In addition, long freight trains with unidentified ammunition arrive at the BUCKAU RR station at irregular intervals, usually at night.

The freight care with ammunition are backed from the BUCKAU RR station to the siding which leads inside the ammunition depot at gate Nr 1 (see Incl 1). The German manned locomotive stops there and is replaced by a locomotive manned by a Soviet from the ammunition depot. Source observed that ammunition supplies are moved from the installation by various types of Soviet cargo trucks coming from the direction of ALTENGRABOW, using the main road.ALTENGRABOW-DRETZEN-KEO-PERNITZ. Military cargo trucks entering or leaving the depot have black license plates with white numbers preceded by the Cyrillic letter "Y". The types of military cargo trucks source observed during 1957 were of Soviet manufacture and looked quite new. During maneuvers held in the surrounding woods, the license plates of military vehicles are covered with cardboard or obscured by other means.

SECURITY

The area of the ammunition depot proper is enclosed of the N, S, and W by 3 parallel fences on each side, each approximately 2.5 m high. Depot is separated on E side from the housing and billeting area by a wire mesh fence, also 2.5 m high. Unknown whether entrance or gate

NOTE: Reproduction of this document is part is prohibited, if SECRET or TOP is with permission of the issuing office, authority to reproduce will be directed Chief of Staff, GZ. Department of the

the whole of the CLASSIFICATION SALE request CONFIDENTIAL ACTOR AC

NOTE: This document contains information affecting the national defence of the United States within the meaning of the Epiponage Act, 50 U.S.C. 31 and 32, as emended its transmission or the revelation of the contents in any manner to an unsuitable parson is prohibited by law.

TO M FORM TO ME OF ARRIVER OF FORWARD LARD BY WHICH HAV BE HEED

Declassified in Part - Sanitized Copy Approved for Release @ 50-Yr 2014/03/04 : CIA-RDP81-01043R002500050009-6

CONFIDENTIAL

50X1-HUM

DA INTELLIGENCE REPORT (Use this form only in accordance with instructions in SR 380-305-5) CLASSIFICATION

A

PAGE

SECURITY

connects annualtion depot proper with housing-billeting area. The outer fence surrounding the ammunition depot is of wire mesh, the two inside fences are of barbed wire. The distance between the outer and second fence is 25 m; the ground between is plowed and harrowed; distance between second and third fence is 15 m. The E fence, facing the RR tracks, is of wooden boards, 2.20 m high; erected in 1954.

On S side of depot, between second and third fences, unknown number of watchdogs are tied to long wire, but they have freedom to run back and forth.

Depot has five wooden watchtowers (23) on W, N and E sides. Each is about 5 m high and manned day and night by armed military guard. At night, the area is illuminated by floodlights. All entrances leading to the installation are guarded by armed sentries; guards with watchdogs patrol area at all times; guards are armed with unidentified SMGs. Gate 1 is always open and gates 2 and 3 are opened only for military vehicles moving supplies.

"No Loitering" signs, in German, have been placed along the road. Two ponds, 24 x 16 m each, filled with water are to be used for extinguishing fires. An unknown number of large, red fire extinguishers, mounted on wooden poles, are dispersed throughout the installation.

AREA

large unidentified units of Soviet

50X1-HUM

troops are stationed in ALTENGRABOW,

1 Inclosure: Location Sketch (U) CONFIDENTIAL

50X1-HUM

NOTE: Reproduction of this document in whole or in CLASSIFICATION NOTE: This document communication information affecting the prohibited, if SECRET or TOP SECRET, except ONFIDENTIAL industrial defence of the United States willing the meaning with premission of the Islains office. All requests to the Assistance of the Carlot of the Regional Communication of the Area of the Carlot of the Area of the Area of the Carlot of the Area of the Area of the Carlot of the Area of the Carlot of the Area of the

A FORM OF A O A OFFI ACES OCR FORM 170 LARD BY WHICH MAY BE HISED



Declassified in Part - Sanitized Copy Approved for Release @ 50-Yr 2014/03/04 : CIA-RDP81-01043R002500050009-0

CONFIDENTIAL

50X1-HUM

DA INTELLIGENCE REPORT (Use this form only in accordance with instructions in SR 380-305-5) CLASSIFICATION

PAGE 2

mit with

BUCKAU (UTM 33UUT 1789) Soviet Ammunition Depot (C)

Inclosure 1

Location Sketch (C)

LEGEND

1. Guardhouse

2-5 Apartment houses 6-8 Troop barracks

9-11. Troop barracks

12-14. Garages and repair shops

15. Warehouse

16-20. Loading and unloading platform


21-22, Ponds

23. Watchtowers

24. Underground ammus .ion bunkers

NOTE: Reproduction of this document in whole, or in CLASSIFICATION NOTE: This document contains informer on affecting it prohibited, if SECRET or TOP SECRET, excellent of the Contains of the

PAN FORM FORM PAN PREPLACES OCS. FORM 17C. 1 APR 53, WHICH MAY BE USED.




Declassified in Part - Sanitized Copy Approved for Release @ 50-Yr 2014/03/04 : CIA-RDP81-01043R002500050009-6

CONFIDENTIAL

BUCKAU, (UTM 33UUT 1789) Soviet Ammunition Depot (C)


Inclosure 1 Location Sketch

Page 1 of 2 Pages



Declassified in Part - Sanitized Copy Approved for Release @ 50-Yr 2014/03/04 : CIA-RDP81-01043R00250005009-6

Set



CONFIDENTIAL

BUCKAU, (UTM 33UUT 1789) Soviet Ammunition Depot (C)

Inclosure 1 Location Sketch

Page 1 of 2 Pages

